

View Online at <https://aerobasegroup.com/nsn/1680-00-536-2516>

Thread Class:

2a both ends

Thread Direction:

Right-hand both ends

Thread Length:

0.3125 inches both ends

Overall Length:

15.6525 inches

Flange Thickness:

0.0937 inches both ends

Wrenching Facility Outside Diameter:

0.625 inches both ends

Shank Outside Diameter:

0.046 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Unf both ends

Core Diameter:

0.187 inches

Thread Location:

External both ends

End Type:

Square female both ends

End Connection Type:

Threaded external both ends

Setscrew:

Not included both ends

Casing Material:

Steel

Wrenching Facility Type:

Hexagon both ends

Cross Section Size And Location:

0.265 inches diameter both ends

Machined Feature Size:

0.151 in. Sq

Casing Surface Treatment:

Zinc coated

Casing Length Between Ferrules:

13.100 inches

Casing Outside Diameter:

0.181 inches

Swivel End:

Not provided both ends

Enddiameter:

0.725 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

20.375 inches

Core Rotation Direction:

Clockwise or counterclockwise

Core Removability:

Removable

Minimum Operating Radius:

6.000 inches

Fsc Application Data:

Arm, windshield wiper, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T246-e