

View Online at <https://aerobasegroup.com/nsn/1680-00-765-9849>

Thread Class:

3b both ends

Thread Direction:

Right-hand both ends

Overall Length:

102.250 inches

Wrenching Facility Outside Diameter:

0.750 inches both ends

Thread Depth:

0.250 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Uns both ends

Core Diameter:

0.250 inches

Thread Location:

Internal both ends

End Connection Type:

Threaded internal both ends

Casing Material:

Steel

Wrenching Facility Type:

Knurled surface both ends

Torsional Deflection Rating:

6.4 degrees ft-lb in.

Casing Surface Treatment:

Cadmium plated

Casing Length Between Ferrules:

101.250 inches

Casing Outside Diameter:

0.445 inches

Swivel End:

Not provided both ends

Enddiameter:

0.750 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

0.750 inches

Core Removability:

Nonremovable

Minimum Operating Radius:

10.000 inches

Special Features:

Prepacked at manufacturer with grease type mil-g-7421

Fsc Application Data:

H box, leading edge flap, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T246-e