

View Online at <https://aerobasegroup.com/nsn/1680-00-808-4229>

Thread Class:

2b both ends

Thread Direction:

Right-hand both ends

Overall Length:

101.163 inches

Thread Depth:

0.220 inches both ends

Core Material:

Steel

Screw Thread Series Designator:

Uns both ends

Core Diameter:

0.276 inches

Thread Location:

Internal both ends

Width Across Flats:

0.870 inches both ends

End Connection Type:

Threaded internal both ends

Casing Material:

Steel

Wrenching Facility Type:

Hexagon both ends

Torsional Deflection Rating:

30 degrees ft-lb in.

Casing Surface Treatment:

Zinc coated

Casing Length Between Ferrules:

100.120 inches

Casing Outside Diameter:

0.530 inches

Casing Protective Device Type:

Braided wire shield

Swivel End:

Provided both ends

Enddiameter:

0.620 inches both ends

Lubrication Fitting:

Not provided both ends

Corelength:

101.163 inches

Core Rotation Direction:

Clockwise or counterclockwise

Core Removability:

Nonremovable

Minimum Operating Radius:

12.000 inches

Fsc Application Data:

Actuators, mechanical, trim tab

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

T246-e