## NSN 1680-01-246-6070

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1680-01-246-6070

**Thread Class:** 

2b second end

**Thread Direction:** 

Right-hand second end

**Overall Length:** 

Between 33.990 inches and 34.010 inches

**Thread Depth:** 

1.240 inches and 1.260 inches first end

Tip Length:

1.865 inches and 1.885 inches both ends

**Tongue Thickness:** 

0.300 inches and 0.305 inches both ends

**Core Material:** 

Steel

**Screw Thread Series Designator:** 

Unf second end

Core Diameter:

Between 0.365 inches and 0.385 inches

**Thread Location:** 

Internal second end

End Type:

Square male both ends

**End Connection Type:** 

Threaded internal second end

**Casing Material:** 

Steel

**Wrenching Facility Type:** 

Hexagon both ends

**Cross Section Size And Location:** 

3.990 inches across flats and 4.010 inches across flats both ends

**Casing Length Between Ferrules:** 

Between 31.740 inches and 31.760 inches

**Casing Outside Diameter:** 

Between 0.740 inches and 0.760 inches

Swivel End:

Provided second end

**Overall End Size:** 

Both ends: 0.305 in. Sq

Corelength:

Between 33.990 inches and 34.010 inches

**Core Rotation Direction:** 

Counterclockwise

## NSN 1680-01-246-6070

Flexible Shaft Assembly - Page 2 of 2



Core Removabil	lity:
----------------	-------

Nonremovable

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

T246-e