

View Online at <https://aerobasegroup.com/nsn/2010-00-127-4796>

**Major Diameter:**

1.750 inches

**Thread Length:**

2.813 inches

**Width:**

0.625 inches

**Overall Length:**

9.604 feet

**Outside Diameter:**

2.500 inches

**Taper Length:**

0.635 feet

**Taper Major Diameter:**

Between 2.440 inches and 2.441 inches

**Keyway Width:**

0.625 inches

**Keyway Depth:**

0.313 inches

**Depth:**

0.313 inches

**Keyway Quantity:**

1

**Surface Finish:**

Smooth machined

**Furnished Items And Quantity:**

Jam nut, 1, propeller nut, 1, cotter pin, 2

**Unit Type:**

Propeller shaft section

**Construction:**

Solid

**Thread Quantity:**

3 per inch

**Usage Location:**

Port/starboard

**Forward End Design:**

Tapered

**Forward End Keyway:**

Provided

**After End Keyway:**

Provided

**Forward End Taper Length:**

0.604 feet

**Threaded Forward End:**

Included

**Forward End Major Diameter:**

1.750 inches

**Forward End Thread Quantity:**

3 per inch

**Forward End Thread Length:**

1.688 inches

**After End Design:**

Tapered

**Threaded After End:**

Included

**After Bearing Sleeve Outside Diameter:**

Between 2.749 inches and 2.751 inches

**After Bearing Sleeve Length:**

1.167 feet

**Forward End Taper Major Diameter:**

Between 2.4395 inches and 2.4405 inches

**Taper:**

0.750 per foot in inches

**Forward End Taper:**

0.750 per foot in inches

**Material:**

Brass, astm b21-66a, 464

**Material:**

Brass, astm b21-66a, 464

**Quantity:**

1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

T08000