

View Online at <https://aerobasegroup.com/nsn/2010-00-246-0664>

Major Diameter:

5.500 inches

Thread Length:

6.000 inches

Width:

1.625 inches

Overall Length:

27.198 feet

Outside Diameter:

7.750 inches

Taper Length:

1.459 feet

Taper Major Diameter:

7.750 inches

Keyway Width:

1.125 inches

Keyway Depth:

0.500 inches

Depth:

0.500 inches

Keyway Quantity:

4

Surface Finish:

Smooth machined

Furnished Items And Quantity:

Propeller nut, 1; propeller key, 1

Usage Design:

Ytb215-229, 253, 264, 277, 290

Unit Type:

Propeller shaft section

Protective Covering Type:

Rubber

Construction:

Solid

Thread Quantity:

4 per inch

Usage Location:

Center

Forward End Design:

Straight

Forward End Diameter:

8.750 inches

Forward End Keyway:

Provided

After End Keyway:

Provided

Threaded Forward End:

Not included

After End Design:

Tapered

Threaded After End:

Included

Forward Bearing Sleeve Outside Diameter:

8.875 inches

Forward Bearing Sleeve Length:

4.000 feet

After Bearing Sleeve Outside Diameter:

8.875 inches

After Bearing Sleeve Length:

3.667 feet

Covering Location:

Surfaces between bearing sleeve covered

Taper:

1.000 per foot in inches

Material:

Steel, n, 49-s-2, class b-s

Material:

Steel, n, 49-s-2, class b-s

Quantity:

2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T08000