## NSN 2010-00-246-0664

Ship Propulsion Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2010-00-246-0664 **Major Diameter:** 5.500 inches **Thread Length:** 6.000 inches Width: 1.625 inches **Overall Length:** 27.198 feet **Outside Diameter:** 7.750 inches **Taper Length:** 1.459 feet **Taper Major Diameter:** 7.750 inches **Keyway Width:** 1.125 inches **Keyway Depth:** 0.500 inches Depth: 0.500 inches **Keyway Quantity:** 4 **Surface Finish:** Smooth machined **Furnished Items And Quantity:** Propeller nut, 1; propeller key, 1 **Usage Design:** Ytb215-229, 253, 264, 277, 290 **Unit Type:** 

Propeller shaft section

Protective Covering Type:
Rubber

Construction:
Solid

Thread Quantity:
4 per inch
Usage Location:
Center
Forward End Design:
Straight

Forward End Diameter:
8.750 inches

## **NSN 2010-00-246-0664**Ship Propulsion Shaft - Page 2 of 2



Forward End Keyway:
Provided
After End Keyway:
Provided
Threaded Forward End:
Not included
After End Design:
Tapered
Threaded After End:
Included
Forward Bearing Sleeve Outside Diameter:
8.875 inches
Forward Bearing Sleeve Length:
4.000 feet
After Bearing Sleeve Outside Diameter:
8.875 inches
After Bearing Sleeve Length:
3.667 feet
Covering Location:
Surfaces between bearing sleeve covered
Taper:
1.000 per foot in inches
Material:
Steel, n, 49-s-2, class b-s
Material:
Steel, n, 49-s-2, class b-s
Quantity:
2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Filg:
T08000