

View Online at <https://aerobasegroup.com/nsn/2010-00-294-1659>

**Inside Diameter:**

10.500 inches

**Major Diameter:**

8.5000 inches

**Thread Length:**

9.0000 inches

**Width:**

Between 3.125 inches and 3.188 inches

**Overall Length:**

39.250 feet

**Outside Diameter:**

17.750 inches

**Taper Length:**

3.802 feet

**Taper Major Diameter:**

17.750 inches

**Depth:**

1.531 inches

**Surface Finish:**

Smooth machined

**Furnished Items And Quantity:**

Propeller nut, 1; propeller key, 2

**Usage Design:**

Suitable for dd931-933, 936-938, 940-944 vessels

**Unit Type:**

Propeller shaft section

**Protective Covering Type:**

Rubber

**Construction:**

Hollow

**Thread Quantity:**

4 per inch

**Usage Location:**

Port/starboard

**Forward End Keyway:**

Not provided

**After End Keyway:**

Provided

**Forward End Coupling Design:**

Integral

**Forward End Coupling Outside Diameter:**

28.5000 inches

**Forward End Coupling Length:**

0.688 feet

**Forward End Coupling Thickness:**

3.500 inches

**Threaded Forward End:**

Not included

**After End Design:**

Tapered

**Threaded After End:**

Included

**Forward Bearing Sleeve Outside Diameter:**

19.375 inches

**Forward Bearing Sleeve Length:**

4.667 feet

**After Bearing Sleeve Outside Diameter:**

19.375 inches

**After Bearing Sleeve Length:**

7.250 feet

**Covering Location:**

All exposed surfaces covered

**Taper:**

1.500 per foot in inches

**Material:**

Steel, mil-s-890, class an

**Material:**

Steel

**Material Specification:**

Mil-s-890, class an military specification single material response

**Quantity:**

2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T08000

**Mil-std (military Standard):**

Mil-s-890 spec.