

View Online at <https://aerobasegroup.com/nsn/2010-00-352-0381>

Major Diameter:

13.500 inches

Thread Length:

18.375 inches

Width:

4.750 inches

Overall Length:

24.864 feet

Outside Diameter:

21.000 inches

Taper Length:

3.385 feet

Taper Major Diameter:

21.000 inches

Depth:

1.500 inches

Surface Finish:

Smooth machined

Furnished Items And Quantity:

Propeller nut, 1; propeller key, 1

Intermediate Bearing Sleeve Outside Diameter:

22.750 inches

Intermediate Bearing Sleeve Length:

3.583 feet

Unit Type:

Propeller shaft section

Construction:

Solid

Thread Quantity:

4 per inch

Usage Location:

Center

Forward End Keyway:

Not provided

After End Keyway:

Provided

Forward End Coupling Design:

Integral

Forward End Coupling Outside Diameter:

34.500 inches

Forward End Coupling Thickness:

4.250 inches

Threaded Forward End:

Not included

After End Design:

Tapered

Threaded After End:

Included

Forward Bearing Sleeve Outside Diameter:

23.125 inches

Forward Bearing Sleeve Length:

5.333 feet

After Bearing Sleeve Outside Diameter:

23.125 inches

After Bearing Sleeve Length:

8.500 feet

Taper:

1.000 per foot in inches

Material:

Steel, mil-s-890

Material:

Steel

Material Specification:

Mil-s-890 military specification single material response

Quantity:

1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T08000

Mil-std (military Standard):

Mil-s-890 spec.