

View Online at <https://aerobasegroup.com/nsn/2010-00-352-0488>

**Inside Diameter:**

10.875 inches

**Width:**

1.875 inches

**Overall Length:**

42.583 feet

**Outside Diameter:**

16.000 inches

**Taper Length:**

2.323 feet

**Taper Major Diameter:**

18.750 inches

**Keyway Width:**

Between 2.125 inches and 2.187 inches

**Keyway Depth:**

0.937 inches

**Depth:**

0.875 inches

**Keyway Quantity:**

3 and 1

**Surface Finish:**

Smooth machined

**Usage Design:**

Sd445-451, 465-481, 498-502, 507-522, 526-541, 544-547, 550-597, 629-631, 642-644, 649, and dm23-34

**Unit Type:**

Stern tube shaft section

**Protective Covering Type:**

Rubber

**Construction:**

Hollow

**Usage Location:**

Port/starboard

**Forward End Design:**

Tapered

**Forward End Keyway:**

Provided

**After End Keyway:**

Provided

**Forward End Taper Length:**

1.000 feet

**Threaded Forward End:**

Not included

**After End Design:**

Tapered

**Threaded After End:**

Not included

**Forward Bearing Sleeve Outside Diameter:**

17.375 inches

**Forward Bearing Sleeve Length:**

5.854 feet

**After Bearing Sleeve Outside Diameter:**

17.375 inches

**After Bearing Sleeve Length:**

5.500 feet

**Covering Location:**

Surfaces between bearing sleeve covered

**Forward End Taper Major Diameter:**

16.000 inches

**Taper:**

1.000 per foot in inches

**Forward End Taper:**

0.125 per foot in inches

**Material:**

Steel, n, 49-s-2, forged

**Material:**

Steel, n, 49-s-2, forged

**Quantity:**

2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T08000