

View Online at <https://aerobasegroup.com/nsn/2010-00-375-1964>

Inside Diameter:

10.750 inches

Major Diameter:

9.000 inches

Thread Length:

9.250 inches

Width:

2.500 inches

Overall Length:

34.583 feet

Outside Diameter:

16.250 inches

Taper Length:

3.125 feet

Taper Major Diameter:

16.250 inches

Depth:

1.0625 inches

Surface Finish:

Smooth machined

Furnished Items And Quantity:

Propeller nut, 1; propeller keys, 2

Unit Type:

Propeller shaft section

Protective Covering Type:

Rubber

Construction:

Hollow

Thread Quantity:

4 per inch

Usage Location:

Center

Forward End Keyway:

Not provided

After End Keyway:

Provided

Forward End Coupling Design:

Integral

Forward End Coupling Outside Diameter:

26.875 inches

Forward End Coupling Length:

0.542 feet

Forward End Coupling Thickness:

3.250 inches

Threaded Forward End:

Not included

After End Design:

Tapered

Threaded After End:

Included

After Bearing Sleeve Outside Diameter:

17.750 inches

After Bearing Sleeve Length:

7.250 feet

Covering Location:

All exposed surfaces

Taper:

1.000 per foot in inches

Material:

Steel, mil-s-890

Material:

Steel

Material Specification:

Mil-s-890 military specification single material response

Quantity:

2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T08000

Mil-std (military Standard):

Mil-s-890 spec.