

View Online at <https://aerobasegroup.com/nsn/2010-00-437-3358>

**Major Diameter:**

15.000 inches

**Thread Length:**

11.750 inches

**Width:**

5.000 inches

**Overall Length:**

50.854 feet

**Outside Diameter:**

28.250 inches

**Taper Length:**

4.417 feet

**Taper Major Diameter:**

30.125 inches

**Depth:**

2.812 inches

**Surface Finish:**

Smooth machined

**Unit Type:**

Propeller shaft section

**Protective Covering Type:**

Composition rust preventive

**Construction:**

Hollow

**Thread Quantity:**

4 per inch

**Usage Location:**

Any acceptable

**Forward End Design:**

Straight

**Forward End Diameter:**

Between 28.312 inches and 28.314 inches

**Forward End Keyway:**

Not provided

**After End Keyway:**

Provided

**Forward End Coupling Design:**

Detachable

**Forward End Coupling Type:**

Flange

**Forward End Coupling Outside Diameter:**

Between 44.997 inches and 45.000 inches

**Forward End Coupling Thickness:**

5.750 inches

**Threaded Forward End:**

Not included

**After End Design:**

Tapered

**Threaded After End:**

Included

**Forward Bearing Sleeve Outside Diameter:**

Between 30.115 inches and 30.125 inches

**Forward Bearing Sleeve Length:**

7.448 feet

**After Bearing Sleeve Outside Diameter:**

Between 30.115 inches and 30.125 inches

**After Bearing Sleeve Length:**

11.333 feet

**Covering Location:**

Bore

**Taper:**

0.500 per foot in inches

**Material:**

Steel, mil-s-23284, class 2

**Material:**

Steel, mil-s-23284, class 2

**Quantity:**

2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T08000