

View Online at <https://aerobasegroup.com/nsn/2010-00-726-3683>

**Inside Diameter:**

Between 5.750 inches and 14.500 inches

**Major Diameter:**

15.250 inches

**Thread Length:**

13.250 inches

**Width:**

Between 3.750 inches and 3.812 inches

**Overall Length:**

43.667 feet

**Outside Diameter:**

22.250 inches

**Taper Length:**

3.604 feet

**Taper Major Diameter:**

22.250 inches

**Depth:**

1.742 inches

**Surface Finish:**

Smooth machined

**Unit Type:**

Propeller shaft section

**Protective Covering Type:**

Rubber, synthetic

**Construction:**

Hollow

**Thread Quantity:**

4 per inch

**Usage Location:**

Center

**Forward End Keyway:**

Not provided

**After End Keyway:**

Provided

**Forward End Coupling Design:**

Integral

**Forward End Coupling Type:**

Flange

**Forward End Coupling Outside Diameter:**

35.375 inches

**Forward End Coupling Length:**

0.750 feet

**Forward End Coupling Thickness:**

4.500 inches

**Threaded Forward End:**

Not included

**After End Design:**

Tapered

**Threaded After End:**

Included

**Forward Bearing Sleeve Outside Diameter:**

24.500 inches

**Forward Bearing Sleeve Length:**

1.000 feet

**After Bearing Sleeve Outside Diameter:**

24.500 inches

**After Bearing Sleeve Length:**

7.698 feet

**Covering Location:**

Surfaces between bearing sleeve

**Taper:**

1.000 per foot in inches

**Material:**

Steel, mil, mil-s-890, cl an, w/o nickel amend. 4, forged

**Material:**

Steel, mil, mil-s-890, cl an, w/o nickel amend. 4, forged

**Quantity:**

2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T08000