

View Online at <https://aerobasegroup.com/nsn/2010-00-824-0362>

**Cylinder Quantity:**

6

**Assembly Form:**

Partial

**Strokes Per Cycle:**

2

**Starting Method:**

Electric

**Reduction Gear Ratio:**

1 to 1

**Cooling Type:**

Radiator

**Mounting Crossbeams:**

Not included

**Piston Displacement:**

45.000 cubic inches

**Integral Reduction/reverse Gear:**

Included

**Outboard Drive Lubrication Method:**

Forced feed

**Outboard Drive Steering Mechanism Operating Method:**

Steering wheel and gear

**Outboard Drive Tilting Mechanism Operating Method:**

Gear

**Outboard Drive Locking Brake:**

Included

**Outboard Drive Protective Skeg:**

Included

**Propeller Blade Quantity:**

3

**Propeller Blade Diameter:**

60.000 inches

**Propeller Blade Pitch:**

30.000 inches

**Propeller Rotation Direction:**

Clockwise

**Propeller Material:**

Bronze

**Propeller Attachment Method:**

Key and locknut

**Voltage In Volts:**

24.000

**Fuel Type:**

Diesel

**Specification Or Standard:**

165 size

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T274-a