

NSN 2010-00-959-3013 Ship Propulsion Shaft - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/2010-00-959-3013 **Inside Diameter:** Between 6.000 inches and 14.000 inches **Overall Length:** 51.021 feet **Outside Diameter:** 20.000 inches **Keyway Width:** Between 3.500 inches and 3.562 inches **Keyway Depth:** 1.688 inches

**Keyway Quantity:** 

**Surface Finish:** Smooth machined

32.750 inches **Unit Type:** 

Rubber

Hollow

Tapered

Provided

Not provided

1.667 feet

Not included

**Coupling Length:** 

**Coupling Thickness:** 

**Threaded After End:** 

Integral

0.667 feet

4.000 inches

Not included

**Construction:** 

**Usage Location:** Port/starboard

Forward End Design:

Forward End Keyway:

After End Keyway:

Forward End Taper Length:

After End Coupling Design:

**Threaded Forward End:** 

**Coupling Outside Diameter:** 

Stern tube shaft section **Protective Covering Type:** 

1 and 3

## **NSN 2010-00-959-3013**Ship Propulsion Shaft - Page 2 of 2



Forward Bearing Sleeve Outside Diameter:
21.875 inches
Forward Bearing Sleeve Length:
2.500 feet
After Bearing Sleeve Outside Diameter:
21.875 inches
Covering Location:
Surface between bearing sleeves
Forward End Taper Major Diameter:
17.958 inches
Forward End Taper:
0.125 per foot in inches
Material:
Steel, mil, mil-s-23284, forged
Material:
Steel, mil, mil-s-23284, forged
Reference Number Differentiating Characteristics:
As differentiated by material
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T08000