

View Online at <https://aerobasegroup.com/nsn/2010-00-959-3013>

Inside Diameter:

Between 6.000 inches and 14.000 inches

Overall Length:

51.021 feet

Outside Diameter:

20.000 inches

Keyway Width:

Between 3.500 inches and 3.562 inches

Keyway Depth:

1.688 inches

Keyway Quantity:

1 and 3

Surface Finish:

Smooth machined

Coupling Outside Diameter:

32.750 inches

Unit Type:

Stern tube shaft section

Protective Covering Type:

Rubber

Construction:

Hollow

Usage Location:

Port/starboard

Forward End Design:

Tapered

Forward End Keyway:

Provided

After End Keyway:

Not provided

Forward End Taper Length:

1.667 feet

Threaded Forward End:

Not included

After End Coupling Design:

Integral

Coupling Length:

0.667 feet

Coupling Thickness:

4.000 inches

Threaded After End:

Not included

Forward Bearing Sleeve Outside Diameter:

21.875 inches

Forward Bearing Sleeve Length:

2.500 feet

After Bearing Sleeve Outside Diameter:

21.875 inches

Covering Location:

Surface between bearing sleeves

Forward End Taper Major Diameter:

17.958 inches

Forward End Taper:

0.125 per foot in inches

Material:

Steel, mil, mil-s-23284, forged

Material:

Steel, mil, mil-s-23284, forged

Reference Number Differentiating Characteristics:

As differentiated by material

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T08000