

View Online at <https://aerobasegroup.com/nsn/2010-01-032-8886>

**Inside Diameter:**

Between 12.500 inches and 12.516 inches

**Overall Length:**

36.007 feet

**Outside Diameter:**

Between 18.875 inches and 18.925 inches

**Surface Finish:**

Ground/polished

**Coupling Outside Diameter:**

36.000 inches

**Furnished Items And Quantity:**

Bolt hex. Head 12, nut hex. 12, o-ring 1, spacer 1

**Unit Type:**

Line shaft section

**Protective Covering Type:**

Composition rust preventive

**Construction:**

Hollow

**Usage Location:**

Port/starboard

**Forward End Keyway:**

Not provided

**After End Keyway:**

Not provided

**Forward End Coupling Design:**

Integral

**Forward End Coupling Outside Diameter:**

33.250 inches

**Forward End Coupling Length:**

0.397 feet

**Forward End Coupling Thickness:**

3.875 inches

**Threaded Forward End:**

Not included

**After End Coupling Design:**

Integral

**Coupling Length:**

0.364 feet

**Coupling Thickness:**

4.375 inches

**Threaded After End:**

Not included

**Forward Bearing Sleeve Outside Diameter:**

Between 19.000 inches and 19.004 inches

**Forward Bearing Sleeve Length:**

3.333 feet

**Covering Location:**

All bore surfaces

**Material:**

Steel, mil-s-23284, class 1

**Material:**

Steel

**Material Specification:**

Mil-s-23284, class 1 military specification single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

T08000

**Mil-std (military Standard):**

Mil-s-23284 spec.