Diesel Electric Locomotive - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2210-00-287-8901

Usage Design:
Road or switching
Manufacturer Name:
Any acceptable
Engine Manufacturer Name:
Any acceptable
Track Gage:
56.500 inches and 60.000 inches and 63.000 inches and 66.000 inches
Gross Weight:
60.0 tons
Whyte System Wheel Arrangement:
0-4-4-0
Wheel Type:
Solid
Wheel Diameter:
40.000 inches
Negotiable Track Curve Minimum Radius:
75.000 feet
Engine Quantity:
1
Maximum Engine Horsepower/rpm Rating:
450 hp at 1200 rpm
Traction Generator Quantity:
1
Traction Generator Manufacturer Name:
Any acceptable
Traction Motor Quantity:
4
Traction Motor Manufacturer Name:
Any acceptable
Brake Equipment Type:
Automatic air and independent air or automatic air and independent air and vacuum
Schedule Number:
6slav
Traction Motor Drive To Axle Drive Coupling Method:
Single reduction gear
Coupler Arrangement:
Any acceptable
Maximum Tractive Force On Level Tangent Track:
36000.0 pounds
Continuous Tractive Force On Level Tangent Track:
15680 lb at 7.28 mph

Diesel Electric Locomotive - Page 2 of 2



Maximum No Load Speed:

50.0 miles per hour

Overall Length Including Protrusions:

35.000 feet over end sills

Special Features:

Brake equipment and coupler arrangement, to be specified at time of procurement

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T229-a