NSN 2320-00-055-9265

Cargo Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-055-9265

Body Material:

Steel and wood

Cylinder Quantity:

6

Battery Quantity:

2

Wheel Quantity:

6

Drive Wheel Quantity:

6

Engine/motor Manufacturer Code And Model Number:

19207 lds465-1a

Prime Mover Type:

Diesel engine

Engine Brake Horsepower:

210.0

Engine Horsepower Rating Speed In Rpm:

2800.0

Battery Voltage Rating In Volts:

12.0

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

5

Hinge Location:

Bottom

Maximum Load Rating:

20000.0 pounds

Stake Type:

Lattice panel

Seating Capacity:

3

Features Provided:

Tailgate and tarpaulin and top bows and towing pintle hook and trailer brake connection and underwater fording system

Gypsy Head:

Not included

Trailer Brake Connection Type:

Air

Rated Load Capacity:

5.00 tons

NSN 2320-00-055-9265

Cargo Truck - Page 2 of 3



Drive Axle Location: Front and rear Axle Drive Type: Double reduction **Power Divider Unit:** Not included Front Axle Engaging Mechanism Type: Automatic **Rear Wheel Mounting Type:** Dual Wheelbase: 179.00 inches Front Wheel Tread Width: 74.00 inches **Rear Wheel Tread Width:** 72.00 inches **Multifuel Design Feature:** Included Transmission Adjunct Type: Transfer and overdrive **Transmission Adjunct Speed Quantity:** 2 Winch Location: Front Winch Type: Single drum Cab Type: Conventional Cab Roof Type: Open **Brake Actuation Method:** Air and hydraulic **Tailgate Operation Method:** Manual Cargo Area Length: 168.00 inches Cargo Area Width: 88.00 inches **Cargo Area Height:** 61.00 inches Body Manufacturer Code And Model Number: 19207 7410065 **Chassis Manufacturer Code And Model Number:**

19207 m40a2

NSN 2320-00-055-9265

Cargo Truck - Page 3 of 3

Vehicle Curb Weight:

20400.0 pounds

Vehicle Maximum Gross Weight:

40800.00 pounds

Cab Door Quantity:

2

Specification Or Standard:

2 group and -54a2 model

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A37500

