

View Online at <https://aerobasegroup.com/nsn/2320-00-077-1617>

**Body Material:**

Steel and wood

**Cylinder Quantity:**

6

**Battery Quantity:**

2

**Wheel Quantity:**

6

**Drive Wheel Quantity:**

6

**Engine/motor Manufacturer Code And Model Number:**

19207 Id465-1

**Prime Mover Type:**

Diesel engine

**Engine Brake Horsepower:**

140.0

**Engine Horsepower Rating Speed In Rpm:**

2600.0

**Battery Voltage Rating In Volts:**

12.0

**Reverse Speed Quantity:**

1

**Transmission Type:**

Manual

**Forward Speed Quantity:**

5

**Hinge Location:**

Bottom

**Maximum Load Rating:**

10000.0 pounds

**Stake Type:**

Lattice panel

**Seating Capacity:**

3

**Features Provided:**

Tailgate and tarpaulin and top bows and towing pintle hook and trailer brake connection and underwater fording system

**Gypsy Head:**

Not included

**Trailer Brake Connection Type:**

Air

**Rated Load Capacity:**

2.50 tons

**Drive Axle Location:**

Front and rear

**Axle Drive Type:**

Double reduction

**Power Divider Unit:**

Not included

**Front Axle Engaging Mechanism Type:**

Automatic

**Rear Wheel Mounting Type:**

Dual

**Wheelbase:**

154.00 inches

**Front Wheel Tread Width:**

67.75 inches

**Rear Wheel Tread Width:**

70.00 inches

**Multifuel Design Feature:**

Included

**Transmission Adjunct Type:**

Transfer

**Transmission Adjunct Speed Quantity:**

2

**Winch Location:**

Front

**Winch Type:**

Single drum

**Cab Type:**

Conventional

**Cab Roof Type:**

Open

**Brake Actuation Method:**

Air and hydraulic

**Tailgate Operation Method:**

Manual

**Cargo Area Length:**

147.00 inches

**Cargo Area Width:**

88.00 inches

**Cargo Area Height:**

60.00 inches

**Body Manufacturer Code And Model Number:**

19207 8332225

**Chassis Manufacturer Code And Model Number:**

19207 m45a2

**Vehicle Curb Weight:**

13900.0 pounds

**Cab Door Quantity:**

2

**Specification Or Standard:**

Truck, cargo model -35a2 type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A37500