## NSN 2320-00-141-8492

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-141-8492

Double Martarials
Body Material:
Steel and wood
Cylinder Quantity:
Battery Quantity:
2
Wheel Quantity:
6
Drive Wheel Quantity:
6
Prime Mover Type:
Gasoline engine
Engine Brake Horsepower:
127.0
Engine Horsepower Rating Speed In Rpm:
3200.0
Battery Voltage Rating In Volts:
12.0
Reverse Speed Quantity:
1
Transmission Type:
Manual
Forward Speed Quantity:
5
Maximum Load Rating:
15000.0 pounds 2nd winch
Seating Capacity:
2
Features Provided:
Fold down side and pole derrick and sliding roof and towing pintle hook and trailer brake connection and underwater fording system
Gypsy Head:
Not included 2nd winch
Trailer Brake Connection Type:
Air
Rated Load Capacity:
2.50 tons
Drive Axle Location:
Front and rear
Axle Drive Type:
Conventional
Axle Speed Quantity:

1

## NSN 2320-00-141-8492

Maintenance Truck - Page 2 of 3



Front Axle Engaging Mechanism Type:
Manual
Rear Wheel Mounting Type:
Single
Wheelbase:
154.00 inches
Front Wheel Tread Width:
69.62 inches
Rear Wheel Tread Width:
69.62 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Rear 2nd winch
Winch Type:
Single drum 2nd winch
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air or hydraulic
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
146.00 inches
Maintenance Body Outside Width:
95.00 inches
Maintenance Body Outside Height:
96.00 inches
Cab Door Quantity:
2
Reference Number Differentiating Characteristics:
As differentiated by cab roof type requirement
Shelf Life:
N/a

## NSN 2320-00-141-8492

Maintenance Truck - Page 3 of 3



		eas	

--

Demilitarization:

No

Fiig:

A37500