NSN 2320-00-198-7827

Wrecker Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-198-7827

Cylinder Quantity:
8
Battery Quantity:
1
Wheel Quantity:
6
Drive Wheel Quantity:
6
Prime Mover Type:
Gasoline engine
Engine Brake Horsepower:
235.6
Engine Horsepower Rating Speed In Rpm:
4000.0
Battery Voltage Rating In Volts:
12.0
Reverse Speed Quantity:
1
Transmission Type:
Manual
Forward Speed Quantity:
5
5 Maximum Load Rating:
Maximum Load Rating:
Maximum Load Rating: Any acceptable
Maximum Load Rating: Any acceptable Seating Capacity:
Maximum Load Rating: Any acceptable Seating Capacity: 3
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons Drive Axle Location:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons Drive Axle Location: Front and rear
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons Drive Axle Location: Front and rear Axle Drive Type:
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons Drive Axle Location: Front and rear Axle Drive Type: Conventional
Maximum Load Rating: Any acceptable Seating Capacity: 3 Features Provided: Outrigger and towing pintle hook Boom Operation Method: Manual Gypsy Head: Not included Rated Load Capacity: 14.00 tons Drive Axle Location: Front and rear Axle Drive Type: Conventional Axle Speed Quantity:

NSN 2320-00-198-7827

Wrecker Truck - Page 2 of 3



Rear Wheel Mounting Type:
Dual
Wheelbase:
169.00 inches
Front Wheel Tread Width:
77.00 inches
Rear Wheel Tread Width:
71.00 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Behind cab
Winch Type:
Double drum
Boom Type:
Single fixed
Boom Maximum Length:
Any acceptable
Boom Operational Direction:
Rotating
Minimum Swing Angle In Deg:
minimum owing rangio in bog.
120.0
120.0
120.0 Load Lifting Capacity Rating:
120.0 Load Lifting Capacity Rating: 48000.0 pounds
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method:
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type:
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type:
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method:
120.0 Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity:
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity:
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Reference Number Differentiating Characteristics:
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Reference Number Differentiating Characteristics: As differentiated by item name requirement and model year 1969
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Reference Number Differentiating Characteristics: As differentiated by item name requirement and model year 1969 Shelf Life:
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Reference Number Differentiating Characteristics: As differentiated by item name requirement and model year 1969 Shelf Life: N/a
Load Lifting Capacity Rating: 48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Reference Number Differentiating Characteristics: As differentiated by item name requirement and model year 1969 Shelf Life: N/a

NSN 2320-00-198-7827

Wrecker Truck - Page 3 of 3



Fiig:

A37500