NSN 2320-00-200-1288

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-200-1288

Body Material:
Steel
Cylinder Quantity:
6
Battery Quantity:
1
Wheel Quantity:
6
Drive Wheel Quantity:
6
Prime Mover Type:
Gasoline engine
Engine Brake Horsepower:
127.0
Engine Horsepower Rating Speed In Rpm:
3400.0
Battery Voltage Rating In Volts:
12.0
Reverse Speed Quantity:
1
Transmission Type:
Manual
Forward Speed Quantity:
5
Maximum Load Rating:
15000.0 pounds 2nd winch
Seating Capacity:
2
Features Provided:
Towing pintle hook and trailer brake connection and underwater fording system and pole derrick and power take-off
Gypsy Head:
Included
Rated Load Capacity:
2.50 tons
Drive Axle Location:
Front and rear
Axle Drive Type:
Conventional
Axle Speed Quantity:
1
Front Axle Engaging Mechanism Type:

Manual

NSN 2320-00-200-1288

Maintenance Truck - Page 2 of 3



Rear Wheel Mounting Type:
Single
Wheelbase:
154.00 inches
Front Wheel Tread Width:
69.62 inches
Rear Wheel Tread Width:
69.62 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air or hydraulic
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Inside and outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
139.00 inches
Maintenance Body Outside Width:
57.00 inches
Maintenance Body Outside Height:
65.00 inches
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 2320-00-200-1288

Maintenance Truck - Page 3 of 3



Fiig:

A37500