# NSN 2320-00-200-1288

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-200-1288

# Body Material:

Steel

Cylinder Quantity:

6

## Battery Quantity:

1

## Wheel Quantity:

6

# Drive Wheel Quantity:

6

#### Prime Mover Type:

Gasoline engine

#### Engine Brake Horsepower:

127.0

#### Engine Horsepower Rating Speed In Rpm:

## 3400.0

## **Battery Voltage Rating In Volts:**

12.0

## Reverse Speed Quantity:

1

## Transmission Type:

Manual

## Forward Speed Quantity:

5

## Maximum Load Rating:

15000.0 pounds 2nd winch

## Seating Capacity:

2

## Features Provided:

Towing pintle hook and trailer brake connection and underwater fording system and pole derrick and power take-off

Gypsy Head:

Included

#### Rated Load Capacity:

2.50 tons

#### Drive Axle Location:

Front and rear

#### Axle Drive Type:

Conventional

#### **Axle Speed Quantity:**

1

#### Front Axle Engaging Mechanism Type:

Manual

# NSN 2320-00-200-1288

Maintenance Truck - Page 2 of 3



Rear Wheel Mounting Type:
Single Wheelbase:
154.00 inches
Front Wheel Tread Width:
69.62 inches Rear Wheel Tread Width:
69.62 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air or hydraulic
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Inside and outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
139.00 inches
Maintenance Body Outside Width:
57.00 inches
Maintenance Body Outside Height:
65.00 inches
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

# NSN 2320-00-200-1288

Maintenance Truck - Page 3 of 3

**Fiig:** A37500

