## NSN 2320-00-224-8859

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-224-8859

Body Material:
Steel
Cylinder Quantity:
6
Battery Quantity:
1
Wheel Quantity:
6
Drive Wheel Quantity:
6
Prime Mover Type:
Gasoline engine
Engine Brake Horsepower:
Any acceptable
Battery Voltage Rating In Volts:
12.0
Reverse Speed Quantity:
1
Transmission Type:
Manual
Forward Speed Quantity:
5
Maximum Load Rating:
20000.0 pounds
Seating Capacity:
2
Features Provided:
Pole derrick and power steering and sliding roof and towing pintle hook and trailer brake connection
Gypsy Head:
Not included
Trailer Brake Connection Type:
Electric
Drive Axle Location:
Front and rear
Axle Drive Type:
Conventional
Axle Speed Quantity:
1
Front Axle Engaging Mechanism Type:
Manual
Rear Wheel Mounting Type:
Dual

Dual

## **NSN 2320-00-224-8859**Maintenance Truck - Page 2 of 3



Mile and a second
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Air
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
168.00 inches
Maintenance Body Outside Width:
Any acceptable
Maintenance Body Outside Height:
Any acceptable
Cab Door Quantity:
2
Special Features:
W/water cask, w/augers, w/auger teeth, w/power takeoffs, w/capstan
Specification Or Standard:
li type and d class and 70 size and 4 model
Shelf Life:
N/a
Unit Of Measure:

## NSN 2320-00-224-8859

Maintenance Truck - Page 3 of 3



Demilitarization:

Yes - demil/mli

Fiig:

A37500