NSN 2320-00-226-6081

Front and rear **Axle Drive Type:** Double reduction



Truck Tractor - Page 1 of 3 View Online at https://aerobasegroup.com/nsn/2320-00-226-6081 **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Engine/motor Manufacturer Code And Model Number:** 94012 300 **Prime Mover Type:** Diesel engine **Engine Brake Horsepower:** 300.0 **Engine Horsepower Rating Speed In Rpm: Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity:** 10 **Maximum Load Rating:** 45000.0 pounds **Seating Capacity: Features Provided:** Power steering and towing pintle hook and trailer brake connection and underwater fording system Fifth Wheel Type: Lower fifth wheel coupler **Gypsy Head:** Not included **Trailer Brake Connection Type:** Air **Rated Load Capacity:** 10.00 tons **Drive Axle Location:**

NSN 2320-00-226-6081

Truck Tractor - Page 2 of 3



Power Divider Unit:
Not included
Front Axle Engaging Mechanism Type:
Manual
Rear Wheel Mounting Type:
Dual
Wheelbase:
181.50 inches
Front Wheel Tread Width:
79.00 inches
Rear Wheel Tread Width:
81.25 inches
Multifuel Design Feature:
Not included
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Behind cab
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air
Fifth Wheel Center To Cab Distance:
104.000 inches
Chassis Manufacturer Code And Model Number:
19207 m121a1
Vehicle Curb Weight:
30230.0 pounds
Vehicle Maximum Gross Weight:
65230.00 pounds
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

NSN 2320-00-226-6081

Truck Tractor - Page 3 of 3



Fiig:

A37500