NSN 2320-00-289-9108

Cargo Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-289-9108 **Body Material:** Any acceptable **Cylinder Quantity:** Any acceptable **Battery Quantity:** Any acceptable Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Gasoline engine **Engine Brake Horsepower:** Any acceptable **Engine Horsepower Rating Speed In Rpm:** Any acceptable **Battery Voltage Rating In Volts:** Any acceptable **Reverse Speed Quantity:** Any acceptable **Transmission Type:** Any acceptable **Forward Speed Quantity Per Range:** Any acceptable **Forward Speed Quantity:** Any acceptable **Maximum Load Rating:** Any acceptable Stake Type: Any acceptable **Seating Capacity:** Any acceptable **Features Provided:** Radio equipment provision and tailgate and tarpaulin and top bows and towing pintle hook and trailer brake connection and underwater fording system Gypsy Head: Included or not included **Trailer Brake Connection Type:** Any acceptable **Rated Load Capacity:**

Front and rear

Drive Axle Location:

0.75 tons

NSN 2320-00-289-9108

Cargo Truck - Page 2 of 3



Axle Drive Type:
Conventional
Axle Speed Quantity:
Any acceptable
Front Axle Engaging Mechanism Type:
Manual
Rear Wheel Mounting Type:
Any acceptable
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Forward Speed Range Quantity:
Any acceptable
Transmission Adjunct Type:
Auxiliary
Transmission Adjunct Speed Quantity:
Any acceptable
Winch Location:
Any acceptable
Winch Type:
Any acceptable
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Any acceptable
Tailgate Operation Method:
Any acceptable
Cargo Area Length:
Any acceptable
Cargo Area Width:
Any acceptable
Cargo Area Height:
Any acceptable
Body Hoist Type:
Highlift
Cab Door Quantity:
Any acceptable
Shelf Life:
N/a

NSN 2320-00-289-9108

Cargo Truck - Page 3 of 3



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A37500