

View Online at <https://aerobasegroup.com/nsn/2320-00-369-8996>

Body Material:

Steel

Cylinder Quantity:

6

Battery Quantity:

1

Wheel Quantity:

4

Drive Wheel Quantity:

4

Prime Mover Type:

Gasoline engine

Engine Brake Horsepower:

170.0

Engine Horsepower Rating Speed In Rpm:

4000.0

Battery Voltage Rating In Volts:

12.0

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

5

Maximum Load Rating:

20000.0 pounds

Seating Capacity:

6

Features Provided:

Pole derrick and towing pintle hook

Gypsy Head:

Not included

Rated Load Capacity:

5.00 tons

Drive Axle Location:

Front and rear

Axle Drive Type:

Conventional

Axle Speed Quantity:

1

Front Axle Engaging Mechanism Type:

Manual

Rear Wheel Mounting Type:

Dual

Wheelbase:

191.00 inches

Front Wheel Tread Width:

69.50 inches

Rear Wheel Tread Width:

69.00 inches

Transmission Adjunct Type:

Transfer

Transmission Adjunct Speed Quantity:

2

Winch Location:

Front

Winch Type:

Single drum

Cab Type:

Crew

Cab Roof Type:

Closed

Brake Actuation Method:

Air or hydraulic

Storage Compartment Type:

Utility

Storage Compartment Accessibility:

Outside

Derrick Location:

Rear

Center Aisle Entrance Location:

Back

Maintenance Body Outside Length:

144.00 inches

Maintenance Body Outside Width:

90.00 inches

Maintenance Body Outside Height:

56.00 inches

Cab Door Quantity:

4

Special Features:

Designed for telephone maintenance and installation

Reference Number Differentiating Characteristics:

As differentiated by itwm name requirement and model year 1969

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A37500