

View Online at <https://aerobasegroup.com/nsn/2320-00-369-8996>

**Body Material:**

Steel

**Cylinder Quantity:**

6

**Battery Quantity:**

1

**Wheel Quantity:**

4

**Drive Wheel Quantity:**

4

**Prime Mover Type:**

Gasoline engine

**Engine Brake Horsepower:**

170.0

**Engine Horsepower Rating Speed In Rpm:**

4000.0

**Battery Voltage Rating In Volts:**

12.0

**Reverse Speed Quantity:**

1

**Transmission Type:**

Manual

**Forward Speed Quantity:**

5

**Maximum Load Rating:**

20000.0 pounds

**Seating Capacity:**

6

**Features Provided:**

Pole derrick and towing pintle hook

**Gypsy Head:**

Not included

**Rated Load Capacity:**

5.00 tons

**Drive Axle Location:**

Front and rear

**Axle Drive Type:**

Conventional

**Axle Speed Quantity:**

1

**Front Axle Engaging Mechanism Type:**

Manual

**Rear Wheel Mounting Type:**

Dual

**Wheelbase:**

191.00 inches

**Front Wheel Tread Width:**

69.50 inches

**Rear Wheel Tread Width:**

69.00 inches

**Transmission Adjunct Type:**

Transfer

**Transmission Adjunct Speed Quantity:**

2

**Winch Location:**

Front

**Winch Type:**

Single drum

**Cab Type:**

Crew

**Cab Roof Type:**

Closed

**Brake Actuation Method:**

Air or hydraulic

**Storage Compartment Type:**

Utility

**Storage Compartment Accessibility:**

Outside

**Derrick Location:**

Rear

**Center Aisle Entrance Location:**

Back

**Maintenance Body Outside Length:**

144.00 inches

**Maintenance Body Outside Width:**

90.00 inches

**Maintenance Body Outside Height:**

56.00 inches

**Cab Door Quantity:**

4

**Special Features:**

Designed for telephone maintenance and installation

**Reference Number Differentiating Characteristics:**

As differentiated by itwm name requirement and model year 1969

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A37500