

View Online at <https://aerobasegroup.com/nsn/2320-00-385-2344>

**Cylinder Quantity:**

6

**Battery Quantity:**

2

**Wheel Quantity:**

6

**Drive Wheel Quantity:**

6

**Prime Mover Type:**

Diesel engine

**Engine Brake Horsepower:**

220.0

**Engine Horsepower Rating Speed In Rpm:**

2800.0

**Battery Voltage Rating In Volts:**

12.0

**Reverse Speed Quantity:**

1

**Transmission Type:**

Manual

**Forward Speed Quantity:**

5

**Maximum Load Rating:**

20000.0 pounds 1st winch

**Seating Capacity:**

3

**Features Provided:**

Outrigger and towing pintle hook and trailer brake connection and underwater fording system

**Boom Operation Method:**

Power

**Gypsy Head:**

Not included

**Trailer Brake Connection Type:**

Air

**Rated Load Capacity:**

5.00 tons

**Drive Axle Location:**

Front and rear

**Axle Drive Type:**

Double reduction

**Power Divider Unit:**

Not included

**Front Axle Engaging Mechanism Type:**

Automatic

**Rear Wheel Mounting Type:**

Dual

**Wheelbase:**

179.00 inches

**Front Wheel Tread Width:**

73.625 inches

**Rear Wheel Tread Width:**

72.000 inches

**Multifuel Design Feature:**

Included

**Transmission Adjunct Type:**

Transfer

**Transmission Adjunct Speed Quantity:**

2

**Winch Location:**

Front

**Winch Type:**

Single drum 2nd winch

**Boom Type:**

Single telescoping

**Boom Maximum Length:**

216.00 inches

**Boom Operational Direction:**

Elevating and rotating

**Minimum Swing Angle In Deg:**

270.0

**Crane Operation Type:**

Hydraulic

**Load Lifting Capacity Rating:**

10000.0 pounds

**Load Lifting Method:**

Power

**Cab Type:**

Conventional

**Cab Roof Type:**

Open

**Brake Actuation Method:**

Air and air

**Cab Door Quantity:**

2

**Specification Data:**

81349-mil-t-740 government specification

**Specification Or Standard:**

2 group and -543a2 model

**Departure From Cited Designator:**

As modified without hand tools, rigging and utility chains

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A37500