NSN 2320-00-455-8464

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-455-8464 **Body Material:** Steel **Cylinder Quantity:** Any acceptable **Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Gasoline engine **Engine Brake Horsepower:** Any acceptable **Engine Horsepower Rating Speed In Rpm:** Any acceptable **Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity: Maximum Load Rating:** 20000.0 pounds **Seating Capacity: Features Provided:** Heavy duty cooling system and insulated and outrigger and pole derrick and power steering and towing pintle hook and trailer brake connection **Gypsy Head:** Not included **Trailer Brake Connection Type:** Air **Rated Load Capacity:** Any acceptable **Drive Axle Location:** Rear

1

Axle Drive Type: Conventional

Axle Speed Quantity:

NSN 2320-00-455-8464

Maintenance Truck - Page 2 of 3



Rear Wheel Mounting Type:
Dual
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Transmission Adjunct Type:
Auxiliary
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Air
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
Any acceptable
Maintenance Body Outside Width:
96.00 inches
Maintenance Body Outside Height:
104.00 inches
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

NSN 2320-00-455-8464Maintenance Truck - Page 3 of 3



Fiig:

A37500