## NSN 2320-00-455-8465

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-455-8465 **Body Material:** Steel **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Gasoline engine **Engine Brake Horsepower: Engine Horsepower Rating Speed In Rpm: Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity:** 10 **Maximum Load Rating:** 20000.0 pounds **Seating Capacity: Features Provided:** Pole derrick and towing pintle hook and trailer brake connection **Gypsy Head:** Not included **Trailer Brake Connection Type:** Air **Drive Axle Location:** Rear **Axle Drive Type:** Conventional **Axle Speed Quantity:** 

**Rear Wheel Mounting Type:**Dual

## NSN 2320-00-455-8465

Maintenance Truck - Page 2 of 3



William III and a
Wheelbase:
184.00 inches
Front Wheel Tread Width:
75.50 inches
Rear Wheel Tread Width:
71.00 inches
Transmission Adjunct Type:
Auxiliary
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Air
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
190.00 inches
Maintenance Body Outside Width:
58.00 inches
Maintenance Body Outside Height:
12.00 inches
Cab Door Quantity:
2
Reference Number Differentiating Characteristics:
As differentiated by manufacturer, s motor, body and chassis no.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## **NSN 2320-00-455-8465**Maintenance Truck - Page 3 of 3



Fiig:

A37500