NSN 2320-00-477-5489

Wrecker Truck - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2320-00-477-5489 **Cylinder Quantity:** Any acceptable **Battery Quantity:** Any acceptable Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Diesel engine **Engine Brake Horsepower:** Any acceptable **Engine Horsepower Rating Speed In Rpm:** Any acceptable **Battery Voltage Rating In Volts:** Any acceptable **Reverse Speed Quantity:** Any acceptable **Transmission Type:** Manual **Forward Speed Quantity:** 10 **Maximum Load Rating:** 24000.0 pounds 2nd winch **Seating Capacity:** 3 **Features Provided:** Heavy duty clutch and heavy duty cooling system and power steering and trailer brake connection **Boom Operation Method:** Power **Gypsy Head:** Not included 2nd winch **Trailer Brake Connection Type:** Air **Rated Load Capacity:** Any acceptable **Drive Axle Location:** Rear **Axle Drive Type:** Conventional

Any acceptable

Axle Speed Quantity:

NSN 2320-00-477-5489 Wrecker Truck - Page 2 of 2



Rear Wheel Mounting Type:
Dual
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Multifuel Design Feature:
Not included
Winch Location:
Front 1st winch
Winch Type:
Single drum
Boom Type:
Double fixed
Boom Maximum Length:
Any acceptable
Boom Operational Direction:
Rotating and elevating
Minimum Swing Angle In Deg:
240.0
Load Lifting Capacity Rating:
Toda Tilling Capacity Maling.
48000.0 pounds
48000.0 pounds
48000.0 pounds Load Lifting Method:
48000.0 pounds Load Lifting Method: Power
48000.0 pounds Load Lifting Method: Power Cab Type:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type Shelf Life:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type Shelf Life: N/a
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type Shelf Life: N/a
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type Shelf Life: N/a Unit Of Measure:
48000.0 pounds Load Lifting Method: Power Cab Type: Conventional Cab Roof Type: Closed Brake Actuation Method: Air Cab Door Quantity: 2 Specification Or Standard: D class and 2 group and 7 type Shelf Life: N/a Unit Of Measure: Demilitarization: