## NSN 2320-00-498-8378

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-498-8378 **Body Material:** Steel **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Engine/motor Manufacturer Code And Model Number:** 50513 oa331 **Prime Mover Type:** Gasoline engine **Purpose For Which Designed:** Pole setting and maintenance **Engine Brake Horsepower:** 146.0 **Engine Horsepower Rating Speed In Rpm: Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity: Maximum Load Rating:** 15000.0 pounds **Seating Capacity: Features Provided:** Pole derrick and stabilizing jack and towing pintle hook and trailer brake connection and underwater fording system **Gypsy Head:** Not included **Trailer Brake Connection Type:** Air **Rated Load Capacity:** 

Front and rear

**Drive Axle Location:** 

2.250 tons

## NSN 2320-00-498-8378

Maintenance Truck - Page 2 of 3



Axle Drive Type:
Double reduction
Power Divider Unit:
Included
Front Axle Engaging Mechanism Type:
Automatic
Rear Wheel Mounting Type:
Single
Wheelbase:
154.00 inches
Front Wheel Tread Width:
69.62 inches
Rear Wheel Tread Width:
69.62 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Behind cab
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air and hydraulic
Storage Compartment Type:
Utility
Derrick Location:
Rear
Maintenance Body Outside Length:
147.00 inches
Maintenance Body Outside Width:
80.00 inches
Maintenance Body Outside Height:
14.00 inches
Chassis Manufacturer Code And Model Number:
19207 m44
Vehicle Curb Weight:
17150.0 pounds
Vehicle Maximum Gross Weight:
23540.00 pounds

23540.00 pounds

## NSN 2320-00-498-8378

Maintenance Truck - Page 3 of 3



Cab Door Quantity:	Cab	Door	Qua	ntity:
--------------------	-----	------	-----	--------

2

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A37500