## NSN 2320-00-505-4609

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-505-4609 **Body Material:** Steel **Cylinder Quantity:** Any acceptable **Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Gasoline engine **Engine Brake Horsepower:** Any acceptable **Engine Horsepower Rating Speed In Rpm:** Any acceptable **Battery Voltage Rating In Volts:** 12.0 **Window Quantity: Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity:** 5 **Maximum Load Rating:** Any acceptable **Seating Capacity:** 2 **Features Provided:** Towing pintle hook and trailer brake connection and radio equipment provision **Gypsy Head:** Included or not included **Trailer Brake Connection Type: Rated Load Capacity:** 2.50 tons **Drive Axle Location:** 

Rear or front and rear **Axle Drive Type:** Conventional

## **NSN 2320-00-505-4609**Maintenance Truck - Page 2 of 3



Axle Speed Quantity:
1
Front Axle Engaging Mechanism Type:
Automatic or manual
Rear Wheel Mounting Type:
Single
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Саь Туре:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Hydraulic
Storage Compartment Type:
T00I
Storage Compartment Accessibility:
Inside and outside
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
144.00 inches
Maintenance Body Outside Width:
88.00 inches
Maintenance Body Outside Height:
76.00 inches
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:

## NSN 2320-00-505-4609

Maintenance Truck - Page 3 of 3



Demilitarization:

No

Fiig:

A37500