NSN 2320-00-505-4610

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-505-4610

Body Material:

Steel

Cylinder Quantity:

Any acceptable

Battery Quantity:

2

Wheel Quantity:

Any acceptable

Drive Wheel Quantity:

Any acceptable

Prime Mover Type:

Gasoline engine

Engine Brake Horsepower:

Any acceptable

Engine Horsepower Rating Speed In Rpm:

Any acceptable

Battery Voltage Rating In Volts:

12.0

Window Quantity:

Any acceptable

Reverse Speed Quantity:

1

Transmission Type:

Automatic or manual

Forward Speed Quantity Per Range:

Any acceptable

Forward Speed Quantity:

Any acceptable

Maximum Load Rating:

Any acceptable

Seating Capacity:

2

Features Provided:

Towing pintle hook and trailer brake connection

Gypsy Head:

Included or not included

Trailer Brake Connection Type:

Air

Rated Load Capacity:

2.50 tons

Drive Axle Location:

Rear or front and rear

NSN 2320-00-505-4610

Maintenance Truck - Page 2 of 3



Axle Drive Type: Conventional **Axle Speed Quantity:** 1 Front Axle Engaging Mechanism Type: Automatic or manual **Rear Wheel Mounting Type:** Single Wheelbase: Any acceptable Front Wheel Tread Width: Any acceptable **Rear Wheel Tread Width:** Any acceptable Forward Speed Range Quantity: Any acceptable **Transmission Adjunct Type:** Not applicable or auxiliary or transfer **Transmission Adjunct Speed Quantity:** Any acceptable Winch Location: Front Winch Type: Single drum Cab Type: Conventional Cab Roof Type: Closed **Brake Actuation Method:** Air Storage Compartment Type: Not applicable or tool **Storage Compartment Accessibility:** Inside and outside **Center Aisle Entrance Location:** Back Maintenance Body Outside Length: 144.00 inches Maintenance Body Outside Width: 56.00 inches Maintenance Body Outside Height: 56.00 inches **Cab Door Quantity:**

NSN 2320-00-505-4610

Maintenance Truck - Page 3 of 3

Functional Description:

Base maintenance

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A37500

