## NSN 2320-00-695-9375

Wrecker Truck Tractor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-695-9375

| Cylinder Quantity:  |
|---|
| 6   |
| Battery Quantity:   |
| 2   |
| Wheel Quantity:   |
| 6   |
| Drive Wheel Quantity:   |
| 6   |
| Engine/motor Manufacturer Code And Model Number:  |
| 89619 endt673   |
| Prime Mover Type:   |
| Diesel engine   |
| Engine Brake Horsepower:  |
| 200.0   |
| Engine Horsepower Rating Speed In Rpm:  |
| 2300.0  |
| Battery Voltage Rating In Volts:  |
| 12.0  |
| Reverse Speed Quantity:   |
| 1   |
| Transmission Type:  |
| Manual  |
| Forward Speed Quantity:   |
| 5   |
| Maximum Load Rating:  |
| 20000.0 pounds 1st winch  |
| Seating Capacity:   |
| 3   |
| Features Provided:  |
| Outrigger and towing pintle hook and trailer brake connection and underwater fording system |
| Fifth Wheel Type:   |
| Lower fifth wheel coupler   |
| Boom Operation Method:  |
| Power   |
| Gypsy Head:   |
| Not included  |
| Trailer Brake Connection Type:  |
| Air   |
| Rated Load Capacity:  |
| 5.00 tons   |
| Drive Axle Location:  |
| Front and rear  |
|   |

## **NSN 2320-00-695-9375** Wrecker Truck Tractor - Page 2 of 3



| Ах  | le Drive Type:                     |
|-----|------------------------------------|
| Do  | uble reduction                     |
| Ро  | wer Divider Unit:                  |
| Inc | sluded                             |
| Fre | ont Axle Engaging Mechanism Type:  |
| Au  | tomatic                            |
| Re  | ar Wheel Mounting Type:            |
| Du  | al                                 |
| WI  | neelbase:                          |
| 21  | 5.00 inches                        |
| Fre | ont Wheel Tread Width:             |
| 73  | .62 inches                         |
| Re  | ar Wheel Tread Width:              |
| 72  | .00 inches                         |
| Μι  | Iltifuel Design Feature:           |
| No  | t included                         |
| Tra | ansmission Adjunct Type:           |
| Tra | ansfer                             |
| Tra | ansmission Adjunct Speed Quantity: |
| 2   |                                    |
| Wi  | nch Location:                      |
| Fro | ont                                |
| Wi  | nch Type:                          |
| Sir | ngle drum                          |
| Bo  | pom Type:                          |
| Sir | ngle telescoping                   |
| Bo  | oom Maximum Length:                |
|     | 2.00 inches                        |
|     | oom Operational Direction:         |
|     | tating                             |
|     | nimum Swing Angle In Deg:          |
|     | 0.0                                |
|     | ane Operation Type:                |
|     | draulic                            |
|     | ad Lifting Capacity Rating:        |
|     | 000.0 pounds                       |
|     | ad Lifting Method:                 |
|     | wer                                |
|     | b Type:                            |
|     | nventional                         |
|     | b Roof Type:                       |
| -   | ben                                |
| Br  | ake Actuation Method:              |

Air and hydraulic

## NSN 2320-00-695-9375

Wrecker Truck Tractor - Page 3 of 3



Fifth Wheel Center To Cab Distance: 132.000 inches Chassis Manufacturer Code And Model Number: 19207 m63a1c Vehicle Curb Weight: 32830.0 pounds Vehicle Maximum Gross Weight: 49180.00 pounds Cab Door Quantity: 2 Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A37500