

View Online at <https://aerobasegroup.com/nsn/2320-00-702-3537>

**Body Material:**

Steel

**Cylinder Quantity:**

Any acceptable

**Battery Quantity:**

1

**Wheel Quantity:**

4

**Drive Wheel Quantity:**

2

**Prime Mover Type:**

Gasoline engine

**Engine Brake Horsepower:**

Any acceptable

**Engine Horsepower Rating Speed In Rpm:**

Any acceptable

**Battery Voltage Rating In Volts:**

12.0

**Reverse Speed Quantity:**

Any acceptable

**Transmission Type:**

Any acceptable

**Forward Speed Quantity Per Range:**

Any acceptable

**Forward Speed Quantity:**

Any acceptable

**Hinge Location:**

Bottom

**Stake Type:**

Lattice panel

**Seating Capacity:**

3

**Features Provided:**

Body crew compartment and tailgate and towing pintle hook and cab protector

**Rated Load Capacity:**

2.50 tons

**Drive Axle Location:**

Rear

**Axle Drive Type:**

Conventional

**Axle Speed Quantity:**

Any acceptable

**Rear Wheel Mounting Type:**

Dual

**Wheelbase:**

Any acceptable

**Front Wheel Tread Width:**

Any acceptable

**Rear Wheel Tread Width:**

Any acceptable

**Forward Speed Range Quantity:**

Any acceptable

**Cab Type:**

Crew

**Cab Roof Type:**

Closed

**Brake Actuation Method:**

Hydraulic and vacuum

**Tailgate Operation Method:**

Manual

**Cargo Area Length:**

144.00 inches

**Cargo Area Width:**

80.00 inches

**Cargo Area Height:**

24.00 inches

**Cab Door Quantity:**

Any acceptable

**Specification Or Standard:**

15 type and c class and 1 group

**Departure From Cited Document:**

As modified by body interior dimensions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A37500

**Mil-std (military Standard):**

Mil-t-62319 spec.