## NSN 2320-00-752-9483

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-752-9483

Body Material:
Steel
Cylinder Quantity:
Any acceptable
Battery Quantity:
1
Wheel Quantity:
4
Drive Wheel Quantity:
2
Prime Mover Type:
Gasoline engine
Engine Brake Horsepower:
Any acceptable
Engine Horsepower Rating Speed In Rpm:
Any acceptable
Battery Voltage Rating In Volts:
12.0
Window Quantity:
Any acceptable
Reverse Speed Quantity:
1
Transmission Type:
Automatic or manual
Forward Speed Quantity:
Any acceptable
Maximum Load Rating:
20000.0 pounds
Seating Capacity:
2
Features Provided:
Towing pintle hook
Gypsy Head:
Not included
Rated Load Capacity:
2.50 tons
Drive Axle Location:
Rear
Axle Drive Type:
Conventional
Axle Speed Quantity:

1

## **NSN 2320-00-752-9483**Maintenance Truck - Page 2 of 3



Rear Wheel Mounting Type:
Dual
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Transmission Adjunct Type:
Not applicable or auxiliary
Transmission Adjunct Speed Quantity:
Any acceptable
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Hydraulic and vacuum
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Inside and outside
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
144.00 inches
Maintenance Body Outside Width:
56.00 inches
Maintenance Body Outside Height:
56.000 inches
Cab Door Quantity:
2
Specification Or Standard:
13 type and c class and 1 group
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 2320-00-752-9483

Maintenance Truck - Page 3 of 3



Fiig:

A37500