

View Online at <https://aerobasegroup.com/nsn/2320-00-835-8340>

**Cylinder Quantity:**

6

**Battery Quantity:**

2

**Wheel Quantity:**

6

**Drive Wheel Quantity:**

6

**Engine/motor Manufacturer Code And Model Number:**

50513 oa331

**Prime Mover Type:**

Gasoline engine

**Engine Brake Horsepower:**

146.0

**Engine Horsepower Rating Speed In Rpm:**

3400.0

**Battery Voltage Rating In Volts:**

12.0

**Reverse Speed Quantity:**

1

**Transmission Type:**

Manual

**Forward Speed Quantity:**

5

**Hinge Location:**

Bottom and top

**Maximum Load Rating:**

10000.0 pounds

**Seating Capacity:**

3

**Features Provided:**

Cab protector and tailgate and towing pintle hook and trailer brake connection and underwater fording system

**Gypsy Head:**

Not included

**Trailer Brake Connection Type:**

Air

**Rated Load Capacity:**

2.50 tons

**Drive Axle Location:**

Front and rear

**Axle Drive Type:**

Conventional

**Axle Speed Quantity:**

1

**Front Axle Engaging Mechanism Type:**

Automatic

**Rear Wheel Mounting Type:**

Single

**Wheelbase:**

148.00 inches

**Front Wheel Tread Width:**

69.62 inches

**Rear Wheel Tread Width:**

69.62 inches

**Transmission Adjunct Type:**

Transfer

**Transmission Adjunct Speed Quantity:**

2

**Winch Location:**

Front

**Winch Type:**

Single drum

**Cab Type:**

Conventional

**Cab Roof Type:**

Open

**Brake Actuation Method:**

Air and hydraulic

**Tailgate Operation Method:**

Manual

**Cargo Area Length:**

108.00 inches

**Cargo Area Width:**

70.00 inches

**Cargo Area Height:**

15.00 inches

**Side Removability:**

Nonremovable

**Body Hoist Type:**

Tilt

**Rated Cubic Carrying Capacity:**

2.5 cubic yards

**Body Manufacturer Code And Model Number:**

77241 a3888

**Chassis Manufacturer Code And Model Number:**

19207 m57

**Vehicle Maximum Gross Weight:**

23860.00 pounds

**Cab Door Quantity:**

2

**Specification Or Standard:**

Truck, dump -47 type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiiq:**

A37500