## NSN 2320-00-835-8528

Dump Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-835-8528

**Cylinder Quantity:** 6 **Battery Quantity:** 2 Wheel Quantity: 6 **Drive Wheel Quantity:** 6 Prime Mover Type: Gasoline engine **Engine Brake Horsepower:** 196.0 **Engine Horsepower Rating Speed In Rpm:** 2800.0 **Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity:** 1 Transmission Type: Manual Forward Speed Quantity: 5 **Hinge Location:** Тор **Maximum Load Rating:** 20000.0 pounds **Seating Capacity:** 3 **Features Provided:** Tailgate and towing pintle hook and trailer brake connection and underwater fording system and cab protector **Gypsy Head:** Not included **Trailer Brake Connection Type:** Air **Rated Load Capacity:** 5.00 tons **Drive Axle Location:** Front and rear Axle Drive Type: Conventional **Axle Speed Quantity:** 1

## NSN 2320-00-835-8528

Dump Truck - Page 2 of 3



Front Axle Engaging Mechanism Type: Automatic **Rear Wheel Mounting Type:** Dual Wheelbase: 167.00 inches Front Wheel Tread Width: 73.62 inches **Rear Wheel Tread Width:** 72.00 inches **Transmission Adjunct Type:** Transfer **Transmission Adjunct Speed Quantity:** 2 Winch Location: Front Winch Type: Single drum Cab Type: Conventional Cab Roof Type: Closed **Brake Actuation Method:** Air or hydraulic **Tailgate Operation Method:** Manual Cargo Area Length: 125.00 inches Cargo Area Width: 82.00 inches **Cargo Area Height:** 23.00 inches Side Removability: Nonremovable **Body Hoist Type:** Tilt Cab Door Quantity: 2 **Functional Description:** Base maintenance **Reference Number Differentiating Characteristics:** As differentiated by item name, cab roof type Shelf Life:

N/a

## NSN 2320-00-835-8528

Dump Truck - Page 3 of 3

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A37500

