## NSN 2320-00-856-2480

Van Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-856-2480 **Body Material:** Steel and wood **Cylinder Quantity:** Any acceptable **Battery Quantity:** Wheel Quantity: Any acceptable **Drive Wheel Quantity:** Any acceptable **Prime Mover Type:** Gasoline engine **Engine Brake Horsepower:** Any acceptable **Engine Horsepower Rating Speed In Rpm:** Any acceptable **Battery Voltage Rating In Volts:** 12.0 **Window Quantity:** Any acceptable **Reverse Speed Quantity:** Any acceptable **Transmission Type:** Any acceptable **Forward Speed Quantity Per Range:** Any acceptable **Forward Speed Quantity:** Any acceptable **Maximum Load Rating:** Any acceptable **Seating Capacity: Features Provided:** Electrical outlet and insulated and radio equipment provision and towing pintle hook and trailer brake connection and underwater fording system **Gypsy Head:** Included or not included **Trailer Brake Connection Type:** Any acceptable **Rated Load Capacity:** 

**Axle Drive Type:** Any acceptable

2.50 tons

## **NSN 2320-00-856-2480** Van Truck - Page 2 of 3



Axle Speed Quantity:
Any acceptable
Power Divider Unit:
Included or not included
Front Axle Engaging Mechanism Type:
Any acceptable
Rear Wheel Mounting Type:
Dual
Wheelbase:
Any acceptable
Front Wheel Tread Width:
Any acceptable
Rear Wheel Tread Width:
Any acceptable
Forward Speed Range Quantity:
Any acceptable
Transmission Adjunct Speed Quantity:
Any acceptable
Winch Location:
Any acceptable
Winch Type:
Any acceptable
Cab Type:
Conventional
Cab Roof Type:
Closed
Brake Actuation Method:
Any acceptable
Cargo Area Length:
162.00 inches
Cargo Area Width:
84.00 inches
Cargo Area Height:
76.00 inches
Cargo Door Location:
Rear facing
Interior Electrical Outlet Voltage:
Any acceptable
Cab Door Quantity:
2
Shelf Life:
N/a
Unit Of Measure:

## NSN 2320-00-856-2480

Van Truck - Page 3 of 3



em			

No

Fiig:

A37500