NSN 2320-00-904-3277

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-904-3277 **Body Material:** Steel and wood **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Prime Mover Type:** Diesel engine **Engine Brake Horsepower:** 140.0 **Engine Horsepower Rating Speed In Rpm: Battery Voltage Rating In Volts:** 12.0 **Window Quantity: Reverse Speed Quantity:** 1 **Transmission Type:** Manual **Forward Speed Quantity: Hinge Location: Bottom Maximum Load Rating:** 20000.0 pounds 1st winch **Seating Capacity: Features Provided:** Fabric top and tailgate and tarpaulin and top bows and towing pintle hook and trailer brake connection and underwater fording system **Gypsy Head:** Included **Trailer Brake Connection Type:** Hydraulic **Rated Load Capacity:** 2.50 tons

Front and rear

Drive Axle Location:

NSN 2320-00-904-3277

Maintenance Truck - Page 2 of 3



Axle Drive Type:
Double reduction
Power Divider Unit:
Included
Front Axle Engaging Mechanism Type:
Automatic
Rear Wheel Mounting Type:
Dual
Wheelbase:
154.00 inches
Front Wheel Tread Width:
67.75 inches
Rear Wheel Tread Width:
70.00 inches
Multifuel Design Feature:
Included
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum 2nd winch
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air or hydraulic
Storage Compartment Type:
T00I
Storage Compartment Accessibility:
Outside
Tailgate Operation Method:
Manual
Center Aisle Entrance Location:
Any acceptable
Maintenance Body Outside Length:
134.50 inches
Maintenance Body Outside Width:
96.00 inches
Maintenance Body Outside Height:
14.00 inches

NSN 2320-00-904-3277

Maintenance Truck - Page 3 of 3



Vehicle Maximum Gr	oss Weight:
--------------------	-------------

24020.00 pounds

Cab Door Quantity:

2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A37500