NSN 2320-00-921-6833

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-921-6833 **Body Material:** Steel **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Engine/motor Manufacturer Code And Model Number:** 65909 ohc6-230 **Prime Mover Type:** Gasoline engine **Engine Brake Horsepower: Engine Horsepower Rating Speed In Rpm:** 4000.0 **Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity: Maximum Load Rating:** 7500.0 pounds **Seating Capacity:** 2 **Features Provided:** Fold down side and towing pintle hook and trailer brake connection and underwater fording system **Gypsy Head:** Not included **Trailer Brake Connection Type:** Electric **Rated Load Capacity:** 1.25 tons **Drive Axle Location:** Front and rear

Axle Drive Type: Conventional

NSN 2320-00-921-6833

Maintenance Truck - Page 2 of 3



Axle Speed Quantity:
1
Front Axle Engaging Mechanism Type:
Manual
Rear Wheel Mounting Type:
Single
Wheelbase:
126.00 inches
Front Wheel Tread Width:
67.00 inches
Rear Wheel Tread Width:
67.00 inches
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Hydraulic
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
Any acceptable
Maintenance Body Outside Width:
Any acceptable
Maintenance Body Outside Height:
Any acceptable
Chassis Manufacturer Code And Model Number:
19207 m724
Cab Door Quantity:
2
Shelf Life:
• • • • • • • • • • • • • • • • • • • •

N/a

NSN 2320-00-921-6833

Maintenance Truck - Page 3 of 3



		eas	

--

Demilitarization:

No

Fiig:

A37500