

View Online at <https://aerobasegroup.com/nsn/2320-00-926-0984>

Cylinder Quantity:

6

Battery Quantity:

1

Wheel Quantity:

6

Drive Wheel Quantity:

6

Prime Mover Type:

Gasoline engine

Engine Brake Horsepower:

237.0

Engine Horsepower Rating Speed In Rpm:

4000.0

Battery Voltage Rating In Volts:

12.0

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

5

Maximum Load Rating:

68000.0 pounds

Seating Capacity:

3

Features Provided:

Power take-off and towing pintle hook and heavy duty cooling system and outrigger

Boom Operation Method:

Manual

Gypsy Head:

Not included

Rated Load Capacity:

14.00 tons

Drive Axle Location:

Front and rear

Axle Drive Type:

Conventional

Axle Speed Quantity:

1

Front Axle Engaging Mechanism Type:

Manual

Rear Wheel Mounting Type:

Dual

Wheelbase:

169.00 inches

Front Wheel Tread Width:

77.25 inches

Rear Wheel Tread Width:

71.50 inches

Transmission Adjunct Type:

Transfer

Transmission Adjunct Speed Quantity:

2

Winch Location:

Front

Winch Type:

Double drum

Boom Type:

Double fixed

Boom Maximum Length:

156.00 inches

Boom Operational Direction:

Rotating

Minimum Swing Angle In Deg:

120.0

Crane Operation Type:

Cable

Load Lifting Capacity Rating:

50000.0 pounds

Load Lifting Method:

Power

Cab Type:

Conventional

Cab Roof Type:

Closed

Brake Actuation Method:

Air

Cab Door Quantity:

2

Specification Or Standard:

7 type and b class and 1 group

Reference Number Differentiating Characteristics:

As differentiated by item name and year model 1966

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A37500