## NSN 2320-00-937-5980

Maintenance Truck - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/2320-00-937-5980 **Body Material:** Steel **Cylinder Quantity: Battery Quantity:** Wheel Quantity: **Drive Wheel Quantity: Engine/motor Manufacturer Code And Model Number:** 19207 ld465-1 **Prime Mover Type:** Diesel engine **Purpose For Which Designed:** Pole setting and maintenance **Engine Brake Horsepower:** 140.0 **Engine Horsepower Rating Speed In Rpm: Battery Voltage Rating In Volts:** 12.0 **Reverse Speed Quantity: Transmission Type:** Manual **Forward Speed Quantity: Maximum Load Rating:** 10000.0 pounds **Seating Capacity: Features Provided:** Pole derrick and towing pintle hook and underwater fording system **Gypsy Head:** Not included **Rated Load Capacity:** 2.50 tons **Drive Axle Location:** Front and rear

**Axle Drive Type:** Double reduction

## NSN 2320-00-937-5980

Maintenance Truck - Page 2 of 3



Power Divider Unit:
Not included
Front Axle Engaging Mechanism Type:
Automatic
Rear Wheel Mounting Type:
Dual
Wheelbase:
154.00 inches
Front Wheel Tread Width:
67.75 inches
Rear Wheel Tread Width:
70.00 inches
Multifuel Design Feature:
Included
Transmission Adjunct Type:
Transfer
Transmission Adjunct Speed Quantity:
2
Winch Location:
Front
Winch Type:
Single drum
Cab Type:
Conventional
Cab Roof Type:
Open
Brake Actuation Method:
Air and hydraulic
Storage Compartment Type:
Utility
Storage Compartment Accessibility:
Outside
Derrick Location:
Rear
Center Aisle Entrance Location:
Back
Maintenance Body Outside Length:
Any acceptable
Maintenance Body Outside Width:
Any acceptable
Maintenance Body Outside Height:
Any acceptable
Chassis Manufacturer Code And Model Number:
19207 m45a2

## NSN 2320-00-937-5980

Maintenance Truck - Page 3 of 3



Cal	bΣ	)oor	Q	uai	ntit	v:

2

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A37500