

View Online at <https://aerobasegroup.com/nsn/2320-00-965-0255>

Body Material:

Aluminum and fiberglass and steel

Cylinder Quantity:

6

Battery Quantity:

1

Wheel Quantity:

6

Drive Wheel Quantity:

4

Engine/motor Manufacturer Code And Model Number:

50513 oh200

Prime Mover Type:

Gasoline engine

Engine Brake Horsepower:

200.0

Engine Horsepower Rating Speed In Rpm:

3400.0

Battery Voltage Rating In Volts:

12.0

Window Quantity:

10

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

5

Hinge Location:

Bottom

Seating Capacity:

3

Features Provided:

Electrical outlet and insulated and power steering and stabilizing jack and tailgate and towing pintle hook and air conditioning

Rated Load Capacity:

8.00 tons

Drive Axle Location:

Rear

Axle Drive Type:

Conventional

Axle Speed Quantity:

1

Rear Wheel Mounting Type:

Dual

Wheelbase:

182.00 inches

Front Wheel Tread Width:

70.20 inches

Rear Wheel Tread Width:

70.20 inches

Transmission Adjunct Type:

Auxiliary

Transmission Adjunct Speed Quantity:

3

Cab Type:

Conventional

Cab Roof Type:

Closed

Brake Actuation Method:

Air

Tailgate Operation Method:

Power

Cargo Area Length:

204.50 inches

Cargo Area Width:

82.00 inches

Cargo Area Height:

75.00 inches

Cargo Door Location:

Rear facing

Interior Electrical Outlet Voltage:

220

Vehicle Maximum Gross Weight:

34500.00 pounds

Cab Door Quantity:

2

Special Features:

W/emergency air brake system, w/blackout lights, w/flourescent ceiling lights, w/cable reel, w/100 ft 220v power cable, w/36 in. Auxiliary cable, w/emergency light street side of body, w/telephone receptacles, w/auxiliary electric motor driven pump, w/auxiliary pump compartment on curb side, body expansible to 162.00 in. Inside w

Reference Number Differentiating Characteristics:

As differentiated by the feat requirement and model year 1965

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

N

Fig:

A37500