

View Online at <https://aerobasegroup.com/nsn/2320-00-965-0262>

Cylinder Quantity:

6

Battery Quantity:

1

Wheel Quantity:

6

Drive Wheel Quantity:

6

Prime Mover Type:

Diesel engine

Engine Brake Horsepower:

220.0

Engine Horsepower Rating Speed In Rpm:

2100.0

Battery Voltage Rating In Volts:

12.0

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

5

Maximum Load Rating:

20000.0 pounds

Seating Capacity:

2

Features Provided:

Towing pintle hook and trailer brake connection and power take-off and outrigger

Fifth Wheel Type:

Lower fifth wheel coupler

Boom Operation Method:

Power

Gypsy Head:

Not included

Trailer Brake Connection Type:

Air

Rated Load Capacity:

18.50 tons

Drive Axle Location:

Front and rear

Axle Drive Type:

Conventional

Axle Speed Quantity:

1

Front Axle Engaging Mechanism Type:

Manual

Rear Wheel Mounting Type:

Dual

Wheelbase:

223.00 inches

Front Wheel Tread Width:

73.38 inches

Rear Wheel Tread Width:

72.20 inches

Multifuel Design Feature:

Not included

Transmission Adjunct Type:

Transfer

Transmission Adjunct Speed Quantity:

2

Winch Location:

Front

Winch Type:

Single drum

Boom Type:

Single telescoping

Boom Maximum Length:

312.00 inches

Boom Operational Direction:

Elevating and rotating

Minimum Swing Angle In Deg:

270.0

Crane Operation Type:

Any acceptable

Load Lifting Capacity Rating:

24000.0 pounds

Load Lifting Method:

Power

Cab Type:

Conventional

Cab Roof Type:

Closed

Brake Actuation Method:

Air

Fifth Wheel Center To Cab Distance:

150.000 inches

Cab Door Quantity:

2

Reference Number Differentiating Characteristics:

As differentiated by item name and year model 1962

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A37500