

View Online at <https://aerobasegroup.com/nsn/2320-01-070-1216>

**Body Material:**

Steel

**Cylinder Quantity:**

8

**Battery Quantity:**

1

**Wheel Quantity:**

6

**Drive Wheel Quantity:**

6

**Prime Mover Type:**

Diesel engine

**Engine Brake Horsepower:**

Any acceptable

**Engine Horsepower Rating Speed In Rpm:**

Any acceptable

**Battery Voltage Rating In Volts:**

12.0

**Window Quantity:**

2

**Reverse Speed Quantity:**

1

**Transmission Type:**

Manual

**Forward Speed Quantity:**

10

**Maximum Load Rating:**

20000.0 pounds

**Seating Capacity:**

2

**Features Provided:**

Heavy duty cooling system and towing pintle hook

**Gypsy Head:**

Not included

**Rated Load Capacity:**

18.00 tons

**Drive Axle Location:**

Front and rear

**Axle Drive Type:**

Any acceptable

**Front Axle Engaging Mechanism Type:**

Manual

**Rear Wheel Mounting Type:**

Dual

**Wheelbase:**

Any acceptable

**Front Wheel Tread Width:**

Any acceptable

**Rear Wheel Tread Width:**

Any acceptable

**Multifuel Design Feature:**

Not included

**Winch Location:**

Front

**Winch Type:**

Single drum

**Cab Type:**

Conventional

**Cab Roof Type:**

Closed

**Brake Actuation Method:**

Air

**Storage Compartment Type:**

Utility

**Storage Compartment Accessibility:**

Outside

**Center Aisle Entrance Location:**

Back

**Maintenance Body Outside Length:**

168.00 inches

**Maintenance Body Outside Width:**

96.00 inches

**Maintenance Body Outside Height:**

144.00 inches

**Cab Door Quantity:**

2

**Special Features:**

Engine hour meter, water cask, 2 aerial baskets, 12-18-24 and 30 in. Augers, hydraulic capstan hoist, basket hydraulic tool outlet, hydraulic chainsaw, hydraulic impact wrench and drill

**Specification Or Standard:**

1 type and c class and 70 size and 4 model

**Departure From Cited Designator:**

As modified by material

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A37500

**Mil-std (military Standard):**

Mil-t-62110 spec.