

View Online at <https://aerobasegroup.com/nsn/2320-01-070-1216>

Body Material:

Steel

Cylinder Quantity:

8

Battery Quantity:

1

Wheel Quantity:

6

Drive Wheel Quantity:

6

Prime Mover Type:

Diesel engine

Engine Brake Horsepower:

Any acceptable

Engine Horsepower Rating Speed In Rpm:

Any acceptable

Battery Voltage Rating In Volts:

12.0

Window Quantity:

2

Reverse Speed Quantity:

1

Transmission Type:

Manual

Forward Speed Quantity:

10

Maximum Load Rating:

20000.0 pounds

Seating Capacity:

2

Features Provided:

Heavy duty cooling system and towing pintle hook

Gypsy Head:

Not included

Rated Load Capacity:

18.00 tons

Drive Axle Location:

Front and rear

Axle Drive Type:

Any acceptable

Front Axle Engaging Mechanism Type:

Manual

Rear Wheel Mounting Type:

Dual

Wheelbase:

Any acceptable

Front Wheel Tread Width:

Any acceptable

Rear Wheel Tread Width:

Any acceptable

Multifuel Design Feature:

Not included

Winch Location:

Front

Winch Type:

Single drum

Cab Type:

Conventional

Cab Roof Type:

Closed

Brake Actuation Method:

Air

Storage Compartment Type:

Utility

Storage Compartment Accessibility:

Outside

Center Aisle Entrance Location:

Back

Maintenance Body Outside Length:

168.00 inches

Maintenance Body Outside Width:

96.00 inches

Maintenance Body Outside Height:

144.00 inches

Cab Door Quantity:

2

Special Features:

Engine hour meter, water cask, 2 aerial baskets, 12-18-24 and 30 in. Augers, hydraulic capstan hoist, basket hydraulic tool outlet, hydraulic chainsaw, hydraulic impact wrench and drill

Specification Or Standard:

1 type and c class and 70 size and 4 model

Departure From Cited Designator:

As modified by material

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A37500

Mil-std (military Standard):

Mil-t-62110 spec.